



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

*lh*

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/745,780

12/21/2000

Martin C. Roberts

303.451US6

3144

21186

7590

09/28/2004

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

P.O. BOX 2938

MINNEAPOLIS, MN 55402

EXAMINER

COLEMAN, WILLIAM D

ART UNIT

PAPER NUMBER

2823

DATE MAILED: 09/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b>		<b>Applicant(s)</b>	
	09/745,780		ROBERTS ET AL.	
	<b>Examiner</b>		<b>Art Unit</b>	
	W. David Coleman		2823	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

**A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.**

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 09 August 2004.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 38-45, 47-65 and 68-79 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 38-45, 47-65 and 68-79 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

## DETAILED ACTION

### *Terminal Disclaimer*

It fails to disclaim the terminal portion of any patent granted on the subject application.

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

2. The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

3. Claims 38, 39, 40, 41, 42, 43, 44, 45, 47, 53, 54, 55, 56, 58, 60, 61, 62, 64 and 68 are rejected under 35 U.S.C. 102(e) as being anticipated by Tang, U.S. Patent 5,561,172.

4. Tang discloses an intermediate in the manufacturing of a semiconductor interconnect as claimed. See **FIGS. 1-13**, where Tang teaches the claimed process.

5. Pertaining to claim 38, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying region of a substrate layer, comprising:

Art Unit: 2823

a substrate layer **42** having a first substrate region and a second substrate region;  
an oxide region **44** overlying at least a portion of the second substrate region;  
a first polycrystalline silicon layer **48** overlying the oxide region but not the first substrate region and having a thickness selected such that a lowest upper surface of the first polycrystalline silicon layer is higher than a highest upper surface of the oxide region; and  
a second polycrystalline silicon layer **58** overlying the first polycrystalline silicon layer and the first substrate region.

6. Pertaining to claim 39, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying a region of a substrate layer, comprising:

a substrate layer **42** having a first substrate region and a second substrate region;  
an oxide region **44** overlying at least a portion of the second substrate region;  
a first polycrystalline silicon layer **48** overlying the oxide region but not the first substrate region and having a thickness selected such that a lowest upper surface of the first polycrystalline silicon layer is higher than a highest upper surface of the oxide region;  
an etch stop layer **50** unresponsive to a polycrystalline silicon etch overlying the first polycrystalline silicon layer; and  
a second polycrystalline silicon layer **58** overlying the etch stop layer and the first substrate region.

7. Pertaining to claim 40, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying a region of a substrate layer, comprising:

Art Unit: 2823

a substrate layer **42** having a first substrate region and a second substrate region;  
an oxide region **44** overlying at least a portion of the second substrate region;  
a first polycrystalline silicon layer **48** overlying the oxide region but not the first substrate region and having a thickness selected such that a lowest upper surface of the first polycrystalline silicon layer is higher than a highest upper surface of the oxide region;  
an etch stop layer **50** unresponsive to a polycrystalline silicon etch overlying the first polycrystalline silicon layer;  
and a second polycrystalline silicon layer **58** overlying the etch stop layer and the first substrate region, the upper surface of the second polycrystalline silicon layer being substantially planar and aligned with the upper surface of the first polycrystalline silicon layer adjacent an interface between the first polycrystalline silicon layer and the second polycrystalline silicon layer such that the interface has no horizontal component (please note that Applicants drawings are not to scale).

8. Pertaining to claim 41, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying a region of a substrate layer, comprising:

a substrate layer **42** having a first substrate region and a second substrate region;  
a field oxide region **44** overlying at least a portion of the second substrate region;  
a gate oxide region **46** overlying at least a portion of the second substrate region;  
a first polycrystalline silicon layer **48** overlying the field oxide and gate oxide regions but not the first substrate region and having a thickness selected such that the lowest upper

Art Unit: 2823

surface of the first polycrystalline silicon layer is higher than the highest upper surface of the oxide regions;

an etch stop layer **50** unresponsive to a polycrystalline silicon etch overlying the first polycrystalline silicon layer; and a second polycrystalline silicon layer overlying the first substrate region adjacent the second substrate region such that there is only a vertical interface between the first polycrystalline silicon layer and the second polycrystalline silicon layer.

9. Pertaining to claim 42, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying a region of a substrate layer, comprising:

a substrate layer **42** having a first substrate region and a second substrate region;

an oxide region **44** overlying at least a portion of the second substrate region;

a polycrystalline silicon layer **48** overlying the oxide region but not the first substrate region and having a thickness selected such that a lowest upper surface of the first polycrystalline silicon layer is higher than a highest upper surface of the oxide region;

a polycrystalline silicon plug **60** overlying the first substrate region and having the upper surface thereof aligned with an upper surface of the polycrystalline silicon layer adjacent the second substrate region such that a vertical interface between the polycrystalline silicon layer and the polycrystalline silicon plug has no horizontal component; and a photoresist mask of material resistant to polycrystalline silicon etching overlying the polycrystalline silicon plug and an adjacent portion of the first polycrystalline layer surrounding the polycrystalline silicon plug thereby defining an electrical interconnect (The Examiner takes the position that it is well known that photoresist is used as a mask in manufacturing semiconductors).

Art Unit: 2823

10. Pertaining to claim 43, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying a region of a substrate layer, comprising:

- a substrate layer having a first substrate region and a second substrate region;
- an oxide region overlying at least a portion of the second substrate region; a polycrystalline silicon layer overlying the oxide region but not the first substrate region and having a thickness selected such that a lowest upper surface of the first polycrystalline silicon layer is higher than a highest upper surface of the oxide region;
- a polycrystalline silicon plug overlying the first substrate region and having an upper surface thereof aligned with an upper surface of the polycrystalline silicon layer adjacent the second substrate region such that a vertical interface between the polycrystalline silicon layer and the polycrystalline silicon plug has no horizontal component; and a photoresist mask overlying the polycrystalline silicon plug to define an electrical interconnect.

11. Pertaining to claim 44, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying a region of a substrate layer, comprising:

- a substrate layer having a first substrate region and a second substrate region; at least one oxide region overlying at least a portion of the second substrate region;
- a first polycrystalline silicon layer overlying the oxide region but not the first substrate region and having a thickness selected such that a lowest upper surface of the first polycrystalline silicon layer is higher than a highest upper surface of the oxide region;

Art Unit: 2823

an etch stop layer unresponsive to a polycrystalline silicon etch overlying the first polycrystalline silicon layer; and a second polycrystalline silicon layer overlying the first substrate region adjacent the second substrate region such that there is only a vertical interface between the first polycrystalline silicon layer and the second polycrystalline silicon layer.

12. Pertaining to claim 45, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying a region of a substrate layer, comprising:

a substrate layer having a first substrate region and a second substrate region; an oxide region overlying at least a portion of the second substrate region; a polycrystalline silicon plug overlying the first substrate region; and

a polycrystalline silicon layer overlying a portion of the oxide region adjacent the polycrystalline silicon plug, but not the first substrate region, the polycrystalline silicon layer having a thickness selected such that a lowest upper surface of the polycrystalline silicon layer is higher than a highest upper surface of the oxide region, the polycrystalline silicon layer also having an upper surface thereof in the region adjacent the polycrystalline silicon plug aligned with an upper surface of the polycrystalline silicon plug such that the vertical interface between the polycrystalline silicon layer and the polycrystalline silicon plug has no horizontal component.

13. Pertaining to claim 47, Tang teaches an intermediate in the manufacture of a semiconductor interconnect overlying a region of a substrate layer, comprising:



Art Unit: 2823

a substrate layer having a first substrate region and a second substrate region; at least one oxide region overlying at least a portion of the second substrate region;

a first polycrystalline silicon layer overlying a portion of the oxide region adjacent the first substrate region, but not the first substrate region, and having a thickness selected such that a lowest upper surface of the first polycrystalline silicon layer is higher than a highest upper surface of the oxide region;

an etch stop layer unresponsive to a polycrystalline silicon etch overlying the first polycrystalline silicon layer; and

a second polycrystalline silicon layer overlying the first substrate region adjacent the second substrate region such that there is only a vertical interface between the first polycrystalline silicon layer and the second polycrystalline silicon layer.

14. Pertaining to claim 53, Tang teaches the intermediate of claim 38 wherein the first substrate region includes a buried contact region **54**.

15. Pertaining to claim 54, Tang teaches the intermediate of claim 38 wherein a portion of the second polycrystalline layer overlying the first polycrystalline layer is removed to expose the first polycrystalline layer and eliminate a horizontal interface between the first and second polycrystalline silicon layers.

Art Unit: 2823

16. Pertaining to claim 55, Tang teaches the intermediate of claim 39 wherein a portion of the second polycrystalline silicon layer overlying the first polycrystalline layer is removed so that a total height of the first polycrystalline silicon layer plus a height of the etch stop layer defines a maximum height of the second polycrystalline silicon layer after removal of the portion of the second polycrystalline silicon layer.

17. Pertaining to claim 56, Tang teaches the intermediate of claim 40 wherein the first and second polycrystalline silicon layers are doped to increase their conductivity (column 3, line 61).

18. Pertaining to claim 58, Tang teaches the intermediate of claim 41 wherein the first and second polycrystalline silicon layers are doped to increase their conductivity.

19. Pertaining to claim 60, Tang teaches the intermediate of claim 42 wherein the polycrystalline silicon plug forms a gate for a field effect transistor. (the Examiner takes the position that since a doped polysilicon layer is over a gate oxide layer, it would imply that a field effect transistor is being fabricated).

20. Pertaining to claim 61, Tang teaches the intermediate of claim 43 wherein the polycrystalline silicon plug forms a gate for a field effect transistor.

Art Unit: 2823

21. Pertaining to claim 62, Tang teaches the intermediate of claim 44 wherein a photoresist mask is applied over a portion of the first etch stop layer and the second polycrystalline silicon layer.

22. Pertaining to claim 63, Tang teaches the intermediate of claim 62 wherein a titanium layer is deposited to overlie the etch stop layer and the second polycrystalline silicon layer.

23. Pertaining to claim 64, Tang teaches the intermediate of claim 45 wherein the polycrystalline plug and the polycrystalline silicon layer are doped to increase their conductivity.

24. Pertaining to claim 68, Tang teaches the intermediate of claim 47 wherein the first and second polycrystalline silicon layers are doped to increase their conductivity.

### ***Claim Rejections - 35 USC § 112***

25. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

26. Claim 42 recites the limitation "a first polycrystalline silicon layer". There is insufficient antecedent basis for this limitation in the claim.

### ***Double Patenting***

27. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686

Art Unit: 2823

F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

28. A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

29. Claims 38-45, 47-65 and 68-70 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-40 of U.S. Patent No. 6,659,632 B2. Although the conflicting claims are not identical, they are not patentably distinct from each other because it is well known that photoresist is used as a mask material in the fabrication of semiconductors.

### ***Information Disclosure Statement***

30. It is desirable for an attorney or agent to carefully evaluate and explain to the applicant and others involved the scope of the claims, particularly the broadest claims. Ask specific questions about possible prior art which might be material in reference to the broadest claim or claims. There is some tendency to mistakenly evaluate prior art in the light of the gist of what is regarded as the invention or narrower interpretations of the claims, rather than measuring the art against the broadest claim with all of its reasonable interpretations.

It is desirable to pick out the broadest claim or claims and measure the materiality of prior art against a reasonably broad interpretation of these claims.

31. It may be useful to evaluate the materiality of prior art or other information from the viewpoint of whether it is the closest prior art or other information. This will tend to put the prior art or other information in better perspective. See *Semiconductor Energy Laboratory Co. v.*

Art Unit: 2823

Samsung Electronics Co., 204 F.3d 1368, 1374, 54 USPQ2d 1001, 1005 (Fed. Cir. 2000) (“A withheld reference may be highly material when it discloses a more complete combination of relevant features, even if those features are before the patent examiner in other references.”

(citations omitted)). However, 37 CFR 1.56 may still require the submission of prior art or other information which is not as close as that of record.

32. Care should be taken to see that prior art or other information cited in a specification or in an information disclosure statement is properly described and that the information is not incorrectly or incompletely characterized. It is particularly important for an attorney or agent to review, before filing, an application which was prepared by someone else, e.g., a foreign application. It is also important that an attorney or agent make sure that foreign clients, including foreign applicants, attorneys, and agents understand the requirements of the duty of disclosure, and that the U.S. attorney or agent review any information disclosure statements or citations to ensure that compliance with 37 CFR 1.56 is present.

See Semiconductor Energy Laboratory Co. v. Samsung Electronics Co., 204 F.3d 1368, 54 USPQ2d 1001 (Fed. Cir. 2000). During prosecution patentee submitted an untranslated 29-page Japanese reference as well as a concise explanation of its relevance and an existing one-page partial English translation, both of which were directed to less material portions of the reference. The untranslated portions of the Japanese reference “contained a more complete combination of the elements claimed [in the patent] than anything else before the PTO.” 204 F.3d at 1374, 54 USPQ2d at 1005. The patentee, whose native language was Japanese, was held to have understood the materiality of the reference.

Art Unit: 2823

33. “The duty of candor does not require that the applicant translate every foreign reference, but only that the applicant refrain from submitting partial translations and concise explanations that it knows will misdirect the examiner’s attention from the reference’s relevant teaching.” 204 F.3d at 1378, 54 USPQ2d at 1008. See also *Genveto Jewelry Co. v. Lambert Bros., Inc.*, 542 F. Supp. 933, 216 USPQ 976 (S.D.N.Y. 1982) wherein a patent was held invalid or unenforceable because patentee’s foreign counsel did not disclose to patentee’s United States counsel or to the Office prior art cited by the Dutch Patent Office in connection with the patentee’s corresponding Dutch application. The court stated, 542 F. Supp. at 943, 216 USPQ at 985:

34. Foreign patent attorneys representing applicants for U.S. patents through local correspondent firms surely must be held to the same standards of conduct which apply to their American counterparts; a double standard of accountability would allow foreign attorneys and their clients to escape responsibility for fraud or inequitable conduct merely by withholding from the local correspondent information unfavorable to patentability and claiming ignorance of United States disclosure requirements.

35. Care should be taken to see that inaccurate statements or inaccurate experiments are not introduced into the specification, either inadvertently or intentionally. For example, stating that an experiment “was run” or “was conducted” when in fact the experiment was not run or conducted is a misrepresentation of the facts. No results should be represented as actual results unless they have actually been achieved. Paper examples should not be described using the past tense. See MPEP § 608.01(p) and § 707.07(l). Also, misrepresentations can occur when experiments which were run or conducted are inaccurately reported in the specification, e.g., an experiment is changed by leaving out one or more

Art Unit: 2823

ingredients. See *Steierman v. Connelly*, 192 USPQ 433 (Bd. Pat. Int. 1975); 192 USPQ 446 (Bd. Pat. Int. 1976).

36. Do not rely on the examiner of a particular application to be aware of other applications belonging to the same applicant or assignee. It is desirable to call such applications to the attention of the examiner even if there is only a question that they might be “material to patentability” of the application the examiner is considering. It is desirable to be particularly careful that prior art or other information in one application is cited to the examiner in other applications to which it would be material. Do not assume that an examiner will necessarily remember, when examining a particular application, other applications which the examiner is examining, or has examined. See *Armour & Co. v. Swift & Co.*, 466 F.2d 767, 779, 175 USPQ 70, 79 (7th Cir. 1972); *KangaROOS U.S.A., Inc. v. Caldor, Inc.*, 585 F. Supp. 1516, 1522, 1528-29, 222 USPQ 703, 708, 713-14 (S.D. N.Y. 1984), vacated and remanded, 778 F.2d 1571, 228 USPQ 32 (Fed. Cir. 1985).

37. While vacating the summary judgment and remanding for trial in *KangaROOS*, the Court of Appeals for the Federal Circuit stated that a “lapse on the part of the examiner does not excuse the applicant.” 778 F.2d at 1576, 228 USPQ at 35.

38. When in doubt, it is desirable and safest to submit information. Even though the attorney, agent, or applicant doesn’t consider it necessarily material, someone else may see it differently and embarrassing questions can be avoided. The court in *U.S. Industries v. Norton Co.*, 210 USPQ 94, 107 (N.D. N.Y. 1980) stated “In short, the question of relevancy in close cases, should be left to the examiner and not the applicant.” See also *LaBounty Mfg., Inc. v. U.S. Int’l Trade Comm’n*, 958 F.2d 1066, 22

Art Unit: 2823

USPQ2d 1025 (Fed. Cir. 1992).

39. One of the requirements for obtaining a patent is “Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of 35 U.S.C. 101”.

40. Because Applicant/Applicant’s have various issued Patents and/or Patent Applications containing similar scope of invention and have not listed these Patents and/or Patent Applications containing the same subject matter that is pertinent to the information disclosure statement, the Examiner cannot distinguish between the Applications and issued patents as to what is new.

### ***Conclusion***

41. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

42. A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.



Art Unit: 2823

43. Any inquiry concerning this communication or earlier communications from the examiner should be directed to W. David Coleman whose telephone number is 571-272-1856.

The examiner can normally be reached on 9:00 AM-5:00 PM.

44. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Olik Chaudhuri can be reached on 571-272-1855. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

45. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



W. David Coleman  
Primary Examiner  
Art Unit 2823

WDC